




2276	PN 6	EN 1092-1 (EX UNI 2276) PIANE 01 A									
		CODICE	Dn.	Ø Foro	Ø Est.	Spess.	N. Fori	Inter.	Peso kg.	€/cad.	Bulloni
 <p>Flange piane in acciaio S235 per saldatura a sovrapposizione Plate flanges steel S235</p>	K2276015	15	22	80	12	4	55	0,33	1,98	M10x40	
	K2276020	20	27,5	90	14	4	65	0,5	2,31	M10x45	
	K2276025	25	34	100	14	4	75	0,61	3,03	M10x45	
	K2276032	32	43	120	16	4	90	1,05	5,14	M12x45	
	K2276040	40	49	130	16	4	100	1,23	5,21	M12x45	
	K2276050	50	61,5	140	16	4	110	1,35	5,74	M12x45	
	K2276065	65	77	160	16	4	130	1,68	7,25	M12x45	
	K2276080	80	90	190	18	4	150	2,63	11,41	M16x60	
	K2276100	100	115,5	210	18	4	170	2,92	12,59	M16x60	
	K2276125	125	141	240	20	8	200	3,9	18,46	M16x65	
	K2276150	150	170	265	20	8	225	4,78	19,12	M16x65	
	K2276200	200	221	320	22	8	280	6,91	27,69	M16x70	
	K2276250	250	275	375	24	12	335	9,04	35,60	M16x70	
	K2276300	300	326	440	24	12	395	12,1	50,11	M20x75	
	K2276350	350	359,5	490	26	12	445	17	*	M20x80	
	K2276400	400	411	540	28	16	495	20	*	M20x80	
K2276450	450	462	595	30	16	550	24,5	*	M20x80		
K2276500	500	513,5	645	30	20	600	26,5	*	M20x80		

2277	PN 10	EN 1092-1 (EX UNI 2277) PIANE 01 A									
		CODICE	Dn.	Ø Foro	Ø Est.	Spess.	N. Fori	Inter.	Peso kg.	€/cad.	Bulloni
 <p>Flange piane in acciaio S235 per saldatura a sovrapposizione Plate flanges steel S235</p>	K2277080	80	90	200	22	8**	160	3,61	14,62	M16x65	
	K2277200	200	221	340	26	8	295	9,77	43,72	M20x80	
	K2277250	250	275	395	28	12	350	12,9	54,65	M20x85	
	K2277300	300	325	445	28	12	400	14,8	62,85	M20x85	
	K2277350	350	358	505	30	16	460	22	105,20	M20x85	
	K2277400	400	409	565	32	16	515	28	133,89	M22x85	
	K2277450	450	462	615	34	20	565	33,5	163,94	M22x85	
	K2277500	500	510	670	34	20	620	40,3	198,10	M22x90	
	K2277600	600	616,5	780	42	20	725	54,5	*	M27x95	
	K2277700	700	714,2	895	38	24	840	65	*	M27x100	
	K2277800	800	815,8	1015	40	24	950	88	*	M30x105	
	K2277900	900	917,4	1050	42	28	1050	100	*	M30x110	
	K22771000	1000	1019	1160	44	28	1160	128	*	M33x115	

2278	PN 16	EN 1092-1 (EX UNI 2278) PIANE 01 A									
		CODICE	Dn.	Ø Foro	Ø Est.	Spess.	N. Fori	Inter.	Peso kg.	€/cad.	Bulloni
 <p>Flange piane in acciaio S235 per saldatura a sovrapposizione Plate flanges steel S235</p>	K2278015	15	22	95	14	4	65	0,67	3,99	M12x50	
	K2278020	20	27,5	105	16	4	75	0,83	4,32	M12x50	
	K2278025	25	34	115	16	4	85	1,03	4,99	M12x50	
	K2278032	32	43	140	18	4	100	1,66	6,12	M16x60	
	K2278040	40	49	150	18	4	110	1,89	8,32	M16x60	
	K2278050	50	61,5	165	20	4	125	2,51	10,38	M16x60	
	K2278065	65	77	185	20	8**	145	3	12,24	M16x60	
	K2278080	80	90	200	22	8	160	3,61	14,24	M16x65	
	K2278100	100	115,5	220	22	8	180	4,6	17,96	M16x65	
	K2278125	125	141	250	24	8	210	6,19	23,95	M16x70	
	K2278150	150	170	285	24	8	240	7,63	29,27	M20x75	
	K2278200	200	221	340	26	12	295	9,77	38,02	M20x80	
	K2278250	250	275	405	29	12	355	16	66,53	M24x90	
	K2278300	300	325	460	32	12	410	19,3	79,83	M24x90	
	K2278350	350	358	520	36	16	470	28,4	133,06	M24x95	
	K2278400	400	409	580	38	16	525	36,5	172,97	M27x105	
	K2278450	450	462	640	42	20	585	46	206,24	M27x105	
	K2278500	500	510	715	44	20	650	64	239,50	M30x110	
	K2278600	600	616,5	840	52	20	770	96	*	M33x115	
	K2278700	700	714,2	910	46	24	840	88	*	M33x115	
	K2278800	800	815,8	1025	46	24	950	115	*	M36x135	
	K2278900	900	917,4	1125	50	28	1050	125	*	M36x135	
	K22781000	1000	1019	1255	50	28	1170	160	*	M39x140	

* Disponibilità materiale 8 giorni data ordine/quotazione a richiesta.

** 4 fori su richiesta.